



COUNTY OF YORK SURVEY MARK REFERENCE AND RECOVERY DATA

VIRGINIA STATE PLANE COORDINATES—SOUTH ZONE (NAD 1983)				VERTICAL DATA	
STATION NO.	UNITS	EASTING (X)	NORTHING (Y)	Elevations refer to National Geodetic Vertical Datum (1929)	
071	Meters	3680921.469	1098631.587	Elevation Of Station= 15.38'	
	U S Survey ft.	12076489.853	3604427.133	FOR WRITTEN DESCRIPTION & ADDITIONAL DATA SEE REVERSE SIDE	
	Int'l ft.	12076514.006	3604434.342		
REFERENCE AND AZIMUTH MARK LOCATIONS				COUNTY/CITY	DISTRICT
OBJECT	BEARING	DISTANCE	ELEVATION	YORK COUNTY	GRAFTON
RM1	S71°24'43"W	57.88'	— — — —	STATION NUMBER: 071	
RM2	N29°36'32"W	127.95'	— — — —		
RM3	N17°22'57"W	4,082.07'	— — — —		
				FIELD BOOKS PS 323/1	

LOCATION SKETCH



LOCATION MAP (Scale: 1"=2000')



STATION DESCRIPTION

- STATION 071: A 3-1/4" disk in concrete, approximately 2" below the ground surface, stamped "STATION NO. 071". The disk is located on Route 631 (Waterview Road) near the visitor entrance to the Virginia Power Plant, 32.5' east of the center line of Route 631, 18.5' west of the center line of a railroad track, on line with 8 utility poles on the west side of Route 631.
- REFERENCE MARK NO. 1: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located 21.5' west of the center line of Route 631 (Waterview Road), 2.5' south of utility pole #VL-98.
- REFERENCE MARK NO. 2: A 2" disk in concrete, approximately 4" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 34.0' west of the center line of Route 631 (Waterview Road), 3.0' east of the 6' chain link fence, 3.5' northeast of the north fence gate post.
- REFERENCE MARK NO. 3: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 27.0' northwest of the center line of Route 631 (Waterview Road), 10.0' southeast of the southeast corner of a brick column on the east side of a gravel drive to the residence at #1303 Waterview Road, 3.0' south of utility pole #UF-03.

STA 071 WITNESS POST PLACED 3.5' Northeast
OF THE STATION

RM1 WITNESS POST PLACED 2.0' North
OF THE MARK

RM2 WITNESS POST PLACED 5.5' North
OF THE MARK

RM3 WITNESS POST PLACED 3.0' North
OF THE MARK

Station Name: 71


Latitude (dms) 37 12 16.23916
Longitude (dms) 76 27 42.14998
State Plane Zone (4502) Virginia South
Easting (X) in meters 3680921.469
Northing(Y) in meters 1098631.587
Easting (X) in US Survey ft 12076489.853
Northing(Y) in US Survey ft 3604427.133
Easting (X) in international ft 12076514.006
Northing(Y) in international ft 3604434.342
Scale .99994943
Convergence (dms) 1 14 13.523

COUNTY OF YORK SURVEY MARK REFERENCE AND RECOVERY DATA


APRIL 1990 SUPPLEMENT

VIRGINIA STATE PLANE COORDINATES-SOUTH ZONE (NAD 1983)				VERTICAL DATA
STATION NO.	UNITS	EASTING (X)	NORTHING (Y)	Elevations refer to National Geodetic Vertical Datum (1929)
072	Meters	3681270.486	1100057.657	Elevation of Station = 7.89'
	U.S. Survey Ft.	12077634.920	3609105.829	
	Int'l Ft.	12077659.075	3609113.048	
REFERENCE AND AZIMUTH MARK LOCATIONS				FOR WRITTEN DESCRIPTION & ADDITIONAL DATA SEE REVERSE SIDE
OBJECT	BEARING	DISTANCE	ELEVATION	COUNTY/CITY YORK COUNTY
RM1	N80°27'49"E	53.57'	---	DISTRICT GRAFTON
RM2	S27°02'00"E	43.80'	---	
RM3	S51°15'18"W	117.80'	---	
Cut 'X' in Conc. Bridge	S70°53'50"W	1448.44'	---	
				STATION NUMBER 072
				FIELD BOOKS PS 323/5

LOCATION SKETCH (Not to Scale)



LOCATION MAP (Scale: 1"=2000')



STATION DESCRIPTION

- STATION 072: A 3-1/4" disk in concrete, approximately 2" below the ground surface, stamped "STATION NO. 072". The disk is located on Route 631 (Waterview Road), 11.0' south of the edge of the concrete basketball court, 52.5' west of utility pole #AG-01.
- REFERENCE MARK NO. 1: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located 17.0' northeast of the center line of Route 631 (Waterview Road), 2.0' south of utility pole #AG-01.
- REFERENCE MARK NO. 2: A 2" disk in concrete, approximately 3" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 21.0' southwest of the center line of Route 631 (Waterview Road), 3.0' north of the southeast corner post of an 8' chain link fence, 4.0' west of a gate post of the 8' chain link fence.
- REFERENCE MARK NO. 3: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 19.0' southwest of the center line of Route 631 (Waterview Road), 2.0' southeast of utility pole #XG-91, 1.5' northeast of an 8' chain link fence.

STA 072 WITNESS POST PLACED 5.5' Southwest
OF THE STATION

Station Name: 72

KM1 WITNESS POST PLACED 2.0' Northwest
OF THE MARK

Latitude (dms) 37 13 2.24459
Longitude (dms) 76 27 26.14164
State Plane Zone (4502) Virginia South
Easting (X) in meters 3681270.486
Northing(Y) in meters 1100057.657
Easting (X) in US Survey ft 12077634.920
Northing(Y) in US Survey ft 3609105.829
Easting (X) in international ft 12077659.075
Northing(Y) in international ft 3609113.048
Scale .99994882
Convergence (dms) 1 14 22.872

RM2 WITNESS POST PLACED 2.5' East
OF THE MARK


RM3 WITNESS POST PLACED 2.0' South
OF THE MARK

COUNTY OF YORK SURVEY MARK REFERENCE AND RECOVERY DATA


APRIL 1990 SUPPLEMENT

VIRGINIA STATE PLANE COORDINATES—SOUTH ZONE (NAD 1983)				VERTICAL DATA	
STATION NO.	UNITS	EASTING (X)	NORTHING (Y)	Elevations refer to National Geodetic Vertical Datum (1929)	
073	Meters	3681512.082	1098264.351	Elevation of Station = 11.29'	
	U.S. Survey Ft.	12078427.555	3603222.290	FOR WRITTEN DESCRIPTION & ADDITIONAL DATA SEE REVERSE SIDE	
	Int'l Ft.	12078451.712	3603229.497		
REFERENCE AND AZIMUTH MARK LOCATIONS				COUNTY/CITY YORK COUNTY	DISTRICT GRAFTON
OBJECT	BEARING	DISTANCE	ELEVATION	STATION NUMBER	
RM1	S37°03'52"W	107.48'	---	073	
RM2	N48°57'35"W	51.97'	---		
RM3	N22°02'06"E	834.22'	---		
				FIELD BOOKS PS 323/8	

LOCATION SKETCH (Not to Scale)



LOCATION MAP (Scale: 1"=2000')



STATION LOCATION

STATION DESCRIPTION

- STATION 073: A 3-1/4" disk in concrete, approximately 4" below the ground surface, stamped "STATION NO. 073". The disk is located at the northeast corner of the intersection of Routes 173 (Goodwin Neck Road) and 718 (Back Creek Road), 29.0' south of the center line of Route 173, 47.0' north of the center line of Route 718.
- REFERENCE MARK NO. 1: A 2" disk in concrete, approximately 3" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located 30.0' south of the center line of Route 173 (Goodwin Neck Road), 69.0' southwest of the stop sign post in the median island of Route 718 (Back Creek Road).
- REFERENCE MARK NO. 2: A 2" disk in concrete, approximately 3" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 23.5' northwest of the center line of Route 173 (Goodwin Neck Road), 15.0' north of a gas line vent pipe.
- REFERENCE MARK NO. 3: A 2" disk in concrete, approximately 1" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 5.0' east of the east edge of the pavement of Route 718 (Back Creek Road), north of STATION 073.

STA 073 WITNESS POST PLACED 6.0' Northeast
OF THE STATION

Station Name: /3

RM1 WITNESS POST PLACED 2.0' South
OF THE MARK

Latitude (dms) 37 12 3.91467
Longitude (dms) 76 27 18.52584
State Plane Zone (4502) Virginia South
Easting (X) in meters 3681512.082
Northing(Y) in meters 1098264.351
Easting (X) in US Survey ft 12078427.555
Northing(Y) in US Survey ft 3603222.290
Easting (X) in international ft 12078451.712
Northing(Y) in international ft 3603229.497
Scale .99994960
Convergence (dms) 1 14 27.862

RM2 WITNESS POST PLACED 10.0' Northwest
OF THE MARK

RM3 WITNESS POST PLACED 4.0' Northeast
OF THE MARK

COUNTY OF YORK SURVEY MARK REFERENCE AND RECOVERY DATA

VIRGINIA STATE PLANE COORDINATES—SOUTH ZONE (NAD 1983)

STATION NO.	UNITS	EASTING (X)	NORTHING (Y)
074	Meters	3683027.919	1098796.186
	U S Survey ft.	12083400.765	3604967.153
	Int'l ft.	12083424.932	3604974.363

REFERENCE AND AZIMUTH MARK LOCATIONS

OBJECT	BEARING	DISTANCE	ELEVATION
RM1	S19°18'06"W	94.46'	---
RM2	N81°57'43"W	199.34'	---
RM3	N21°12'28"W	641.17'	---

VERTICAL DATA

Elevations refer to National Geodetic Vertical Datum (1929)

Elevation Of Station= 6.00'

FOR WRITTEN DESCRIPTION &
ADDITIONAL DATA SEE REVERSE SIDE

COUNTY/CITY
YORK COUNTY


DISTRICT
GRAFTON

STATION NUMBER:


074

FIELD BOOKS
PS 324/43

LOCATION SKETCH



LOCATION MAP (Scale: 1"=2000')



STATION LOCATION

STATION DESCRIPTION

STATION 074: A 3-1/4" disk in concrete, approximately 2" below the ground surface, stamped "STATION NO. 074". The disk is located in a grass median in the rear parking lot of Back Creek Park, 4.0' south of the south edge of the parking lot pavement, 11.5' west of a "Do Not Enter" sign post.

REFERENCE MARK NO. 1: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located in the grass area at the end of the Back Creek Park entrance road, 4.0' east of the east edge of the pavement, 2.0' southwest of a "Right Only" sign post.

REFERENCE MARK NO. 2: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 18.0' north of the center line of the Back Creek Park entrance road, 1.5' northeast of a "25 MPH" sign.

REFERENCE MARK NO. 3: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 8.0' south of the edge of the pavement of Route 173 (Goodwin Neck Road), east of the entrance to Back Creek Park, 8.0' north of an 18" sycamore tree.

STA 074 WITNESS POST PLACED 1.0' South
OF THE STATION

Station Name: 74

RM1 WITNESS POST PLACED 2.0' East
OF THE MARK

```

Latitude (dms)          37 12 20.09353
Longitude (dms)          76 26 16.59736
State Plane Zone (4502) Virginia South
Easting (X) in meters    3683027.919
Northing(Y) in meters    1098796.186
Easting (X) in US Survey ft 12083400.765
Northing(Y) in US Survey ft 3604967.153
Easting (X) in international ft 12083424.932
Northing(Y) in international ft 3604974.363
Scale                    .99994937
Convergence (dms)        1 15 5.448

```

RM2 WITNESS POST PLACED 2.0' Northwest
OF THE MARK


RM3 WITNESS POST PLACED 4.0' Southeast
OF THE MARK

COUNTY OF YORK SURVEY MARK REFERENCE AND RECOVERY DATA


APRIL 1990 SUPPLEMENT

VIRGINIA STATE PLANE COORDINATES—SOUTH ZONE (NAD 1983)				VERTICAL DATA	
STATION NO.	UNITS	EASTING (X)	NORTHING (Y)	Elevations refer to National Geodetic Vertical Datum (1929)	
075	Meters	3683307.455	1099527.013	Elevation of Station = 5.39'	
	U.S. Survey Ft.	12084317.874	3607364.875	FOR WRITTEN DESCRIPTION & ADDITIONAL DATA SEE REVERSE SIDE	
	Int'l Ft.	12084342.043	3607372.090		
REFERENCE AND AZIMUTH MARK LOCATIONS				COUNTY/CITY YORK COUNTY	DISTRICT GRAFTON
OBJECT	BEARING	DISTANCE	ELEVATION	STATION NUMBER	FIELD BOOKS
RM1	S51°48'27"W	267.41'	---	075	PS 324/38 PS 326/53
RM2	S49°19'34"E	66.65'	---		
RM3	D E S T R O Y E D				
RM4	N86°47'44"E	993.49'	---		

LOCATION SKETCH (Not to Scale)



LOCATION MAP (Scale: 1"=2000')



STATION DESCRIPTION

- STATION 075:** A 3/4" disk in concrete, approximately 2" below the ground surface, stamped "STATION NO. 075". The disk is located on Route 173 (Goodwin Neck Road) in front of Dandy Baptist Church, 17.0' northeast of the edge of the pavement of Route 173, 13.0' west of the edge of the gravel entrance drive to the church.
- REFERENCE MARK NO. 1:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located west of STATION 075, opposite the entrance road to the Amoco refinery property, 44.5' south of the center line of Route 173 (Goodwin Neck Road), 3.5' north of utility pole #NC-44.
- REFERENCE MARK NO. 2:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 28.5' south of the center line of Route 173 (Goodwin Neck Road), 7.5' northwest of utility pole #OC-06.
- REFERENCE MARK NO. 3:** DESTROYED
- REFERENCE MARK NO. 4:** A 2" disk in concrete, flush with the ground surface, stamped "REFERENCE MARK NO. 4". The disk is located 15.5' northeast of the center line of Route 173 (Goodwin Neck Road), 82.0' northwest of the center line (projected) of the gravel driveway to the residence at #640 Goodwin Neck Road.

STA 075	WITNESS POST PLACED <u>81.5' WEST</u> OF THE STATION
RM1	WITNESS POST PLACED <u>3.0' SOUTH</u> OF THE MARK
RM2	WITNESS POST PLACED <u>8.5' SOUTHEAST</u> OF THE MARK
RM3	REFERENCE MARK NO. 3 WAS DESTROYED
RM4	WITNESS POST PLACED <u>12.0' NORTH</u> OF THE MARK

STATION NAME: 075

Latitude (dms)	37	12	43.59729
Longitude (dms)	76	26	4.61493
State Plane Zone (4502) Virginia South			
Easting (X) in meters	3683307.455		
Northing (Y) in meters	1099527.013		
Easting (X) in US Survey ft.	12084317.874		
Northing (Y) in US Survey ft.	3607364.875		
Easting (X) in international ft.	12084342.043		
Northing (Y) in international ft.	3607372.090		
Scale	.99994906		
Convergency (dms)	1	15	12.720
YO	1114764.183		

STATION DESCRIPTION

- STATION 076:** A 3-1/4" disk in concrete, approximately 1" below the ground surface, stamped "STATION NO. 076". The disk is located 16.5' south of the center line of Route 629 (Dandy Loop Road), 58.5' west of a fire hydrant on the north side of Route 629.
- REFERENCE MARK NO. 1:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located 15.5' northeast of the center line of Route 629 (Dandy Loop Road), 1.5' northwest of utility pole #RI-7.
- REFERENCE MARK NO. 2:** A 2" disk in concrete, approximately 1" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 32.0' northwest of the center line of Route 629 (Dandy Loop Road), 2.0' south of utility pole #RI-31.
- REFERENCE MARK NO. 3:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 16.5' west of the center line of Route 629 (Dandy Loop Road), 63.0' north of utility pole #PF-28.

STA 076 WITNESS POST PLACED 42.5' West
OF THE STATION

RM1 WITNESS POST PLACED 2.0' Southeast
OF THE MARK

RM2 WITNESS POST PLACED 2.0' Northeast
OF THE MARK

RM3 WITNESS POST PLACED 3.5' West
OF THE MARK

Station Name: 76

Latitude (dms) 37 13 11.94727
Longitude (dms) 76 25 40.51112
State Plane Zone (4502) Virginia South
Easting (X) in meters 3683882.419
Northing(Y) in meters 1100413.760
Easting (X) in US Survey ft 12086204.238
Northing(Y) in US Survey ft 3610274.144
Easting (X) in international ft 12086228.410
Northing(Y) in international ft 3610281.365
Scale .99994870
Convergence (dms) 1 15 27.349

STATION DESCRIPTION

- STATION 077:** A 3-1/4" disk in concrete, approximately 1" below the ground surface, stamped "STATION NO. 077". The disk is located 20.0' northeast of the center line of Route 629 (Dandy Loop Road), 57.5' southeast of utility pole #672-38.
- REFERENCE MARK NO. 1:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located on the south side of Route 629 (Dandy Loop Road), 7.0' west of the east corner of a 2' wood rail fence, 5.5' north of utility pole #67.
- REFERENCE MARK NO. 2:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 31.5' east of the center line of Route 629 (Dandy Loop Road), 1.5' southeast of utility pole #672-38.
- REFERENCE MARK NO. 3:** A 2" disk in concrete, approximately 1" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 16.0' west of the center line of Route 629 (Dandy Loop Road), 2.0' east of utility pole #GV-12, 11.5' south of the center line of a dirt driveway to the west.

STA 077 **WITNESS POST PLACED** 4.5' Southeast
 OF THE STATION

RM1 **WITNESS POST PLACED** 5.5' South
 OF THE MARK

RM2 **WITNESS POST PLACED** 2.0' West
 OF THE MARK

RM3 **WITNESS POST PLACED** 3.5' North
 OF THE MARK


Station Name: 77

Latitude (dms) 37 13 11.18954
Longitude (dms) 76 25 23.24664
State Plane Zone (4502) Virginia South
Easting (X) in meters 3684308.448
Northing(Y) in meters 1100399.759
Easting (X) in US Survey ft 12087601.967
Northing(Y) in US Survey ft 3610228.211
Easting (X) in international ft 12087626.142
Northing(Y) in international ft 3610235.431
Scale .99994871
Convergence (dms) 1 15 37.827


COUNTY OF YORK SURVEY MARK REFERENCE AND RECOVERY DATA

VIRGINIA STATE PLANE COORDINATES—SOUTH ZONE (NAD 1983)				VERTICAL DATA	
STATION NO.	UNITS	EASTING (X)	NORTHING (Y)	Elevations refer to National Geodetic Vertical Datum (1929)	
078	Meters	3683008.102	1098223.053	Elevation Of Station= 7.65'	
	U S Survey ft.	12083335.748	3603086.801	FOR WRITTEN DESCRIPTION & ADDITIONAL DATA SEE REVERSE SIDE	
	Int'l ft.	12083359.915	3603094.007		
REFERENCE AND AZIMUTH MARK LOCATIONS				COUNTY/CITY	DISTRICT
OBJECT	BEARING	DISTANCE	ELEVATION	YORK COUNTY	GRAFTON
RM1	N89°38'59"W	125.28'	— — — —	STATION NUMBER: 078	
RM2	S23°03'40"W	52.45'	— — — —		
RM3	S65°28'09"E	560.22'	— — — —		
				FIELD BOOK: PS 323/14	

LOCATION SKETCH



LOCATION MAP (Scale: 1"=2000')



STATION DESCRIPTION

STATION 078: A 3-1/4" disk in concrete, approximately 2" below the ground surface, stamped "STATION NO. 078". The disk is located 15.0' north of the edge of the pavement of Route 718 (Back Creek Road), 66.0' west of utility pole #LJ-72.

REFERENCE MARK NO. 1: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located 10.5' north of the edge of the pavement of Route 718 (Back Creek Road), 2.0' southwest of utility pole #KJ-91.

REFERENCE MARK NO. 2: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 5.0' southwest of the end pole of a wood rail fence, 13.5' south of the edge of the pavement of Route 718 (Back Creek Road).

REFERENCE MARK NO. 3: A 2" disk in concrete, approximately 3" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 11.5' south of the edge of the pavement of Route 718 (Back Creek Road), 9.0' northeast of utility pole #MI-57.

STA 078 WITNESS POST PLACED 66.0' East
OF THE STATION

Station Name: 78

RM1 WITNESS POST PLACED 2.0' Northeast
OF THE MARK

Latitude (dms) 37 12 1.51988

Longitude (dms) 76 26 17.90845

State Plane Zone (4502) Virginia South

RM2 WITNESS POST PLACED 5.0' Northeast
OF THE MARK

Easting (X) in meters 3683008.102

Northing(Y) in meters 1098223.053

Easting (X) in US Survey ft 12083335.748

Northing(Y) in US Survey ft	3603086.801
-----------------------------	-------------

Easting (X) in international ft 12083359.915

Northing(Y) in international ft 3603094.007

Scale .99994963

Convergence (dms)	1	15	4.652
--------------------------	---	----	-------

RM3 WITNESS POST PLACED 8.5' West
OF THE MARK

STATION DESCRIPTION

- STATION 079:** A 3-1/4" disk in concrete, approximately 2" below the ground surface, stamped "STATION NO. 079". The disk is located at the end of Route 775 (Hansford Court), 8.0' south of the edge of the pavement of Route 775.
- REFERENCE MARK NO. 1:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located east of STATION 079, 55.0' southeast of the center point of Route 775 (Hansford Court).
- REFERENCE MARK NO. 2:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 1.0' west of the metal post for a newspaper box, 39.0' north of the center point of Route 775 (Hansford Court).
- REFERENCE MARK NO. 3:** A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 17.0' east of the center line of Route 627 (Landing Road), 25.5' south of the center line of Route 775 (Hansford Court), 1.5' north of the street sign post.

STA 079 WITNESS POST PLACED 5.0' Southwest
OF THE STATION

RM1 WITNESS POST PLACED 4.0' East
OF THE MARK

RM2 WITNESS POST PLACED 9.0' North
OF THE MARK

RM3 WITNESS POST PLACED 4.0' South
OF THE MARK

Station Name: 79

Latitude (dms)	37 12 3.64958
Longitude (dms)	76 25 52.50599
State Plane Zone (4302) Virginia South	
Easting (X) in meters	3683632.917
Northing(Y) in meters	1098302.392
Easting (X) in US Survey ft	12085385.663
Northing(Y) in US Survey ft	3603347.096
Easting (X) in international ft	12085409.833
Northing(Y) in international ft	3603354.303
Scale	.99994960
Convergence (dms)	1 15 20.069

STATION DESCRIPTION

STATION 080: A 3-1/4" disk in concrete, approximately 2" below the ground surface, stamped "STATION NO. 080". The disk is located 10.5' northeast of the edge of the pavement of Route 769 (Sunset Court), 52.5' north of utility pole #SI-46.

REFERENCE MARK NO. 1: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1". The disk is located 22.0' southwest of the center line of Route 769 (Sunset Court), 1.5' northwest of utility pole #SI-06.

REFERENCE MARK NO. 2: A 2" disk in concrete, approximately 1" below the ground surface, stamped "REFERENCE MARK NO. 2". The disk is located 20.0' southwest of the center line of Route 769 (Sunset Court), 2.0' northwest of utility pole #SI-46.

REFERENCE MARK NO. 3: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 3". The disk is located 15.0' southeast of the center line of Route 718 (Back Creek Road), 16.0' southwest of the center line (projected) of Route 769 (Sunset Court).

STA 080 WITNESS POST PLACED 3.5' Northeast
OF THE STATION

Station Name: 80

RM1 WITNESS POST PLACED 2.0' South
OF THE MARK

```

Latitude (dms)          37  11 58.30625
Longitude (dms)         76  25 35.11570
State Plane Zone (4502) Virginia South
Easting (X) in meters    3684065.259
Northing(Y) in meters    1098147.122
Easting (X) in US Survey ft 12086804.102
Northing(Y) in US Survey ft 3602837.683
Easting (X) in international ft 12086828.276
Northing(Y) in international ft 3602844.889
Scale                    .99994968
Convergence (dms)       1  15 30.624

```

RM2 WITNESS POST PLACED 3.5' Southeast
OF THE MARK

RM3 WITNESS POST PLACED 4.0' Southwest
OF THE MARK